



# Shell Helix *HX5 SN 5W-30*

Premium multi-grade oil - Helps to keep engines clean



Shell Helix HX5 SN is designed to provide consistent gasoline engine performance. It works hard to help protect against engine sludge and reduce wear. It helps to reduce engine friction to provide enhanced fuel economy.

## Proud Drivers Choose Shell Helix

### Performance, Features & Benefits

- **Active cleansing technology**  
Actively locks away harmful performance-robbing deposits.
- **Good sludge protection**  
Helps to prevent engine sludge build-up.
- **Excellent wear protection**<sup>1</sup>  
Helps to extend engine life by providing wear protection that no mineral oil can surpass<sup>1</sup>.
- **Meets the fuel economy requirements of ILSAC GF-5**  
Enhanced fuel economy, with a corresponding reduction in emissions<sup>2</sup>.

<sup>1</sup> Based on Sequence IVA wear test using 5W-30

<sup>2</sup> Compared with higher-viscosity oils

### Main Applications

Everyday motorway or city driving can mean severe conditions for engine oil. Shell Helix HX5 SN's premium multigrade formulation helps to provide protection in everyday daily driving conditions. Suitable for gasoline, gas or ethanol containing fuels.

### Specifications, Approvals & Recommendations

- API SN
- ILSAC GF-5
- To find the right Shell Helix product for your vehicles and equipment, please consult Shell LubeMatch at:  
<http://lubematch.shell.com>
- Advice on applications not covered here may be obtained from your Shell or Shell Lubricants distributor representatives or technical help desks.

### Typical Physical Characteristics

Properties			Method	Shell Helix HX5 SN 5W-30
Kinematic Viscosity	@100°C	cSt	ASTM D445	10.50
Kinematic Viscosity	@40°C	cSt	ASTM D445	63.37
Viscosity Index			ASTM D2270	158
MRV	@-35°C	Cp	ASTM D4684	23000
Density	@15°C	Kg/m <sup>3</sup>	ASTM D4052	860
Flash Point		°C	ASTM D92	225
Pour Point		°C	ASTM D97	-42

These characteristics are typical of current production. Whilst future production will conform to Shell's specification, variations in these characteristics may occur.

### Health, Safety & Environment

#### • Health and Safety

Shell Helix HX5 SN is unlikely to present any significant health or safety hazard when properly used in the recommended application and good standards of personal hygiene are maintained.

Avoid contact with skin. Use impervious gloves with used oil. After skin contact, wash immediately with soap and water.

Guidance on Health and Safety is available on the appropriate Material Safety Data Sheet, which can be obtained from your Shell representative.

- **Protect the Environment**

Take used oil to an authorised collection point. Do not discharge into drains, soil or water.